

Introducing


ZCL
COMPOSITES INC.

**Underground
Fiberglass
Tanks**

Why ZCL tanks?

- Engineered for long-life
- Unique integrated rib design guarantees strength
- All models are suitable for H20 traffic loading
- Guaranteed not to float when used with ZCL anchors
- Can be empty and fully submerged in water without the risk of collapse
- Countless add-ons and accessories to fit any application
- NSF listed for potable water applications
- International manufacturer with multiple fabrication facilities and shipping locations across North America
- Technical support
- Engineering data available

www.focusindustries.ca



Distributed by **focus**
INDUSTRIES INC.

17A Rayborn Crescent, St. Albert, AB T8N 5C3
Phone 1-866-688-2657 • Fax 1-888-362-8780 • Email info@focusindustries.ca

Single-Wall Tank Data Chart

Nominal Capacity (Litres)	Tank Length (mm)	Estimated Shipping Weight (kg)	Number of Hold-Down Straps Required	Number of ZCL Deadmen Required
---------------------------	------------------	--------------------------------	-------------------------------------	--------------------------------

4 Foot Diameter Tanks

2500	2295	210	2	2
5000	4368	340	2	2

6 Foot Diameter Tanks

10000	4500	390	2	2
15000	6523	570	2	2
20000	8426	720	4	2
25000	10279	950	4	4

8 Foot Diameter Tanks

15000	3980	520	2	2
20000	5084	670	2	2
25000	6061	830	2	2
30000	7209	960	4	2
35000	8135	1060	4	2
40000	9334	1220	4	4
45000	10361	1380	4	4
50000	11256	1590	4	4
55000	12264	1640	6	6
60000	13501	1810	6	6
65000	14522	1970	6	6
68000	14934	2050	6	6
75000	16635	2350	8	6
80000	17485	2430	8	6

10 Foot Diameter Tanks

50000	7449	1970	4	4
60000	8827	2260	6	4
65000	9576	2450	6	4
70000	10426	2620	6	4
75000	10903	2720	6	6
80000	11595	2990	8	6
90000	13068	3290	8	6
100000	14345	3580	8	6
113000	16097	3950	10	6



